



OPEN AIR

DATI TECNICI

PORCELLANATO IMPASTO COLORATO

COLOURED BODY PORCELAIN
STONEWARE
DURCHGEFÄRBTES
FEINSTEINZEUG

GRÈS CÉRAMÉ COLORÉ DANS
LA MASSE
PORCELÁNICO DE PASTA DE
COLOR

КЕРАМОГРАНИТ,
ОКРАШЕННЫЙ В МАССЕ

DIGITAL TECHNOLOGY



BICOTTURA TRADIZIONALE PASTA BIANCA

TRADITIONAL DOUBLE-FIRED
WHITE BODY

BICUISSON PÂTE BLANCHE
TRADITIONNELLE

ТРАДИЦИОННЫЙ ДВОЙНОЙ
ОБЖИГ, БЕЛАЯ ГЛИНА

KLASSISCHE WEISSCHERBIGE
ZWEIBRANDFLIESEN

BICOCCIÓN TRADICIONAL
PASTA BLANCA

COLORI

COLOURS - COULEURS - FARBEN - COLORES - ЦВЕТА

FINITURE/FINISHES

RETT. / OUT DRY / OUT




WHITE



GREY



SAND



PEWTER

OPEN AIR

SVILUPPO GRAFICO / GRAPHIC DEVELOPMENT


Grey Rett. 90x90 - 35,5"x35,5"

FORMATI


SIZES - FORMATS - FORMATE - FORMATOS - ФОРМАТЫ




DECORATIONS AND SPECIAL PIECES




RETT.




RETT.




RETT.




RETT.




RETT.



RETT.



Mosaic Mix
29,6x29,6 11,8"x11,8"
RETT.




Mosaico
31,5x31,5 12,4"x12,4"



Battiscopa
7,2x90 2,8"x35,5"
RETT.



Battiscopa
9x59,5 3,5"x23,4"
RETT.



C. Retta
33x120 13"x47"
RETT.




OUT




OUT


Grey / Sand / Pewter



RETT.



RETT.



RETT.



White
33,3x100 13"x39,4"



Grey
33,3x100 13"x39,4"



Sand
33,3x100 13"x39,4"



The Wall White
33,3x100 13"x39,4"



The Wall Grey
33,3x100 13"x39,4"



The Wall Sand
33,3x100 13"x39,4"



Rivestimento / Wall Bitech® Dec. Arrow Cold 33,3x100 - 13"x39,4"



Arrow White
33,3x100 13"x39,4"



Arrow Grey
33,3x100 13"x39,4"




Arrow Sand
33,3x100 13"x39,4"



Dec. Arrow Cold
33,3x100 13"x39,4"



Dec. Arrow Warm
33,3x100 13"x39,4"



Listello Metal Blu
0,5x100 0,2"x39,4"



Listello Metal Copper
0,5x100 0,2"x39,4"



Rivestimento / Wall Bitech® Dec. Arrow Warm 33,3x100 - 13"x39,4"

RIVESTIMENTO IN BICOTTURA TRADIZIONALE PASTA BIANCA

TRADITIONAL WHITE BODY DOUBLE-FIRED TILES

REVÊTEMENT EN BICUISSON PÂTE BLANCHE TRADITIONNELLE

KLASSISCHE WEISSCHERBIGE WANDFLIESEN

BALDOSAS PARA REVESTIMIENTOS DE BICOCCIÓN TRADICIONAL PASTA BLANCA

ТРАДИЦИОННЫЙ ДВОЙНОЙ ОБЖИГ, БЕЛАЯ ГЛИНА

Dec. Secret Cold (Comp. 2 pz)
33,3x100 **13"x39,4"**Dec. Secret Warm (Comp. 2 pz)
33,3x100 **13"x39,4"**

Rivestimento / Wall Bitech® Dec. Secret Warm (Comp. 2 pz) 33,3x100 - 13"x39,4"

Rivestimento / Wall Bitech® Dec. Secret Cold (Comp. 2 pz) 33,3x100 - 13"x39,4"
Pavimento / Floor Pewter 20mm 90x90 - 35,5"x35,5"













IMBALLI / PACKING / EMBALLAGE / VERPACKUNG

FORMATO SIZE FORMAT FORMAT	PZ./SCATOLA PIECES/BOX PIECES/BOÎTE STÜCK/KARTON	MQ./SCATOLA SQM/BOX M ² /BOÎTE QM/KARTON	KG./SCATOLA KG/BOX KG/BOÎTE KG/KARTON	SC./PALLET BOXES/PALLET BOÎTES/PALETTE KARTONS/PALETTE	MQ./PALLET SQM/PALLET M ² /PALLETTE QM/PALLETTE	KG./PALLET KG/PALLET KG/PALLETTE KG/PALLETTE	SPESORE THICKNESS ÉPAISSEURS STÄRKE
75X150 / 30"X60" RETT.	1	1,125	25,70	24	27,00	632	10mm
90X90 / 35,5"X35,5" RETT.	2	1,620	33,40	20	32,40	683	10mm
59,5X119,2 / 23,4"X46,8" RETT.	2	1,440	31,00	36	51,84	1131	10mm
59,5X59,5 / 23,4"X 23,4" RETT.	4	1,440	31,00	30	43,20	945	10mm
29,6X59,5 / 11,8"X 23,4" RETT.	5	0,900	19,30	48	43,20	941	10mm
44,5X90 / 17,5"X 35,5" RETT.	3	1,200	24,80	32	38,40	809	10mm
9X59,5 / 3,5"X 23,4" BATT. RETT.	12	-	-	-	-	-	-
7,2X90 / 2,8"X 35,5" BATT. RETT.	6	-	-	-	-	-	-
29,6X29,6 / 11,8"X 11,8" MOS. MIX RETT.	4	-	-	-	-	-	-
31,5X31,5 / 12,4"X 12,4" MOSAICO	4	-	-	-	-	-	-
33X120 / 13"X 47" C.RETTA RETT.	2	-	-	-	-	-	-
90X90 / 35,5"X 35,5" OUT DRY RETT.	2	1,620	33,40	20	32,40	683	10mm
59,5X59,5 / 23,4"X 23,4" OUT DRY RETT.	4	1,440	31,00	30	43,20	945	10mm
90X90 / 35,5"X 35,5" OUT 20mm	1	0,810	36,70	30	24,30	1116	20mm
RIVESTIMENTO / WALL BITECH®							
33,3X100 / 13"X39,4"	4	1,332	21,91	32	42,62	716	9,5mm
33,3X100 / 13"X39,4" ARROW	4	1,332	21,91	32	42,62	716	9,5mm
33,3X100 / 13"X39,4" THE WALL	4	1,332	21,91	32	42,62	716	9,5mm
33,3X100 / 13"X39,4" DEC. SECRET	2	-	-	-	-	-	9,5mm
33,3X100 / 13"X39,4" DEC. ARROW	2	-	-	-	-	-	9,5mm
0,5X100 / LISTELLO METAL	2	-	-	-	-	-	-













**I VALORI INDICATI SI RIFERISCONO AL PORCELLANATO
IMPASTO COLORATO**

The values refer to coloured body porcelain stoneware.
Les valeurs indiquées se réfèrent au grès cérame coloré dans la masse.
Die folgenden Daten beziehen sich auf das durchgefärbtes Feinsteinzeug.
Los valores se refieren al porcelánico de pasta de color.
Данные относятся к керамогранит, окрашенный в массу.













IN
EN 14411 B I_a GL

											
Non gelive/Frost Proof Ingefirt/Frosticher	Totale/Complete Totale/FAbsolut	Resiste/Resists Resiste/Bestading	40+55 N/mm ²	≤ 0,5 %	PEI V	WET > 0,60 DRY > 0,59	9	> 0,42	R 10	A+B	V2

OUT DRY 10mm
EN 14411 B I_a GL

											
Non gelive/Frost Proof Ingefirt/Frosticher	Totale/Complete Totale/FAbsolut	Resiste/Resists Resiste/Bestading	40+55 N/mm ²	≤ 0,5 %	PEI V	WET > 0,73 DRY > 0,71	9	> 0,42	R 11	C	V2

OUT 20mm
EN 14411 B I_a GL

											
Non gelive/Frost Proof Ingefirt/Frosticher	Totale/Complete Totale/FAbsolut	Resiste/Resists Resiste/Bestading	40+55 N/mm ²	≤ 0,5 %	PEI V	WET > 0,73 DRY > 0,71	9	> 0,42	R 11	A+B+C	V2

I valori indicati nella tabella si riferiscono alle prove eseguite sul colore SAND.
The values in the table refer to the tests performed on color SAND.
Les valeurs indiquées dans le tableau se réfèrent aux essais exécutés sur le couleur SAND.
Die in der Tabelle angegebenen Werte beziehen sich auf die Tests die auf dem Farbe SAND ausgeführt wurden.
Los valores indicados en la tabla se refieren a las pruebas realizadas sobre el color SAND.
Указанные в таблице значения относятся к испытаниям, проведенным на бежевом оттенке SAND.